

Ambient Air Quality Characteristics (Year 2018)

City	Dehradun						Rishikesh			Haridwar			Haldwani				Kashipur		Rudrapur				
Locations	Clock Tower			Raipur Road			Himalayan Drug, ISBT			Nagar Palika Parishad			SIDCUL			Govt. Hospital				Govt. Hospital		Govt. Hospital	
Zone	Commercial			Commercial/ Residential			Commercial/Industrial			Commercial			Industrial			Commercial				Sensetive		Sensetive	
Month	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	S.P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	S.P.M.10 (µg/m3)	P.M.10 (µg/ m3)	S.P.M.10 (µg/ m3)
January	198.04	IF	IF	228.18	IF	IF	350.96	IF	IF	102.37	IF	IF	135.15	IF	IF	128.89	206.95	207.95	23.79	24.79	165.03	166.03	207.3
February	201.47	IF	IF	192.66	IF	IF	314	IF	IF	119.87	IF	IF	117.4	IF	IF	130.37	213.22	214.22	23.67	24.67	203.52	204.52	208.81
March																							
April																							
May																							
June																							
July																							
August																							
September																							
October																							
November																							
December																							
Average	199.76	#DIV/0!	#DIV/0!	210.42	#DIV/0!	#DIV/0!	332.48	#DIV/0!	#DIV/0!	111.12	#DIV/0!	#DIV/0!	126.28	#DIV/0!	#DIV/0!	129.63	210.085	211.09	23.73	24.73	184.275	185.28	208.055
Standards :																							
Annual	60	20	30	60	20	30	60	20	30	60	50	40	60	50	40	60		20	30	60		60	
24 hours	100	80	80	100	80	80	100	80	80	100	80	80	100	80	80	100		80	80	100		100	