# **EXECUTIVE SUMMARY**

# (English & Hindi)

### OF

## Ranihat Sand, Bajri & Boulder Mining Project

Village: Ranihat, Tehsil: Devprayag,

District: Tehri Garhwal, State: Uttarakhand

Area: 10.686 Ha, Proposed Capacity: 2, 26, 000 TPA

### **APPLICANT**

GARHWAL MANDAL VIKAS NIGAM LTD. 74/1 RAJPUR ROAD, DEHRADUN

## **Prepared By**

## **GRASS ROOTS RESEARCH & CREATION INDIA (P) LTD.**

(An ISO 9001:2008 Certified Co.: Accredited by QCI / NABET: Approved by MoEF, GoI)

F-374-375, Sector-63, Noida, U.P.

Ph.: 0120- 4044630, Telefax: 0120- 2406519

Email: eia@grc-india.com, grc.enviro@gmail.com

Website: http://www.grc-india.com

#### GRC INDIA TRAINING & ANALYTICAL LABORATORY

(Accredited by NABL & Recognized by MoEF, Gol)
A unit of GRC India

#### INTRODUCTION

As per MoEF, New Delhi Gazette dated 14<sup>th</sup> September 2006 and amended thereof, the proposed mining project is categorized as **category 'B'** project.

The project is being proposed by Garhwal Mandal Vikas Nigam (GMVN) Limited. The proponent has applied for mining lease in the name of Naithana Sand, *Bajri* & Boulder Mining Project from the bed of Alakhnanda River over an area of 8.651 ha.

It has been proposed to mine around 2,26,000 Tonnes per annum of minerals. The estimated project cost for the proposed project is Rs.15,50,000.

#### **LOCATION**

The lease area is located in Village: Ranihat, Tehsil: Devprayag & District: Tehri Garhwal, Uttarakhand.

The mine lease co-ordinates are listed below:

Latitude	30°13'38.008"N to 30°13'19.02"N
Longitude	78°47'31.34"E to 78°47'47.48"E

### **MINING**

This is an open-cast mining project. The operation will be entirely manual with use of hand tools like shovel, pan, sieves, pick axes, etc.

Mining will be done in layers upto a depth of 1.5 m, leaving a safety distance from the banks  $1/5^{th}$  of the of the width of the river will be left for bank stability from both the banks.

The deposit will be worked from the surface of the bed upto 1.5 m bgl or above ground water level, whichever comes first. Hence, at no point of time mining will intersect with ground water table.

Mining will be done only during the day time and completely stopped during the monsoon season.

# RESERVE (AVAILABLE QUANTUM) AND PRODUCTION (EXTRACTABLE QUANTUM)

The sediments proposed to be extracted are sand & boulder which are generally found in the river bed in the lease area. The sediments like sand/bajri along with silt & clay are brought into

the bed through transport from the catchment area, are referred as "Wash Load". And the sediments which are in continuous contact with bed, carried forward by rolling/sliding are referred to as "Bed Load".

#### Reserve (Available Quantum):

The already existing quantity at the river bed in the lease area due to fresh depositions has been considered to be the quantum of mineral available (**Reserve**) which may be mined out. In order to calculate this quantity, the lease area has been considered with an ultimate depth of 1.5 meter from the surface (excluding the boulder available on the surface). For the reserve tonnage estimation, the reserve quantity is multiplied with the bulk density of 2 tonnes per cum (for mixed sand and *bajri*).

The reserve for the site has been estimated to 2, 51, 000 tonnes

#### **Production (Extractable Quantum):**

However considering the factors such as geological disturbances, volume that cannot be mined due to flow of water and also considering the safety factor, approximately 2, 26, 000 tonnes has been considered to as production or the extractable quantity from the mineable area for grant of Environmental Clearance. The mineral is likely to be replenished due to sediment inflow, gradually during the monsoon seasons.

Of the quantum of minerals which will be excavated, only sand is replenishable. Boulders which may roll or come into the lease area during high flow velocity of water or during floods.

Thus the extractable quantum in the first year would be limited to the available quantum. The extractable amount for the further years may vary depending on amount/rate of actual replenishment which is to be monitored by expert agencies every year.

### **SITE FACILITIES AND UTILITIES**

#### **Water Supply**

Water will be provided to workers for drinking & domestic purpose. Water will also be required for dust suppression. A total of 2 KLD water will be required for the proposed project.

#### **Temporary Rest Shelter:**

A temporary rest shelter will be provided for the workers near to the site for rest. In addition, First aid box along with anti-venoms to counteract poison produced by certain species of small insects, if any and Sanitation facility i.e. septic tank or community toilet facility will be provided for the workers.

3/X

### **BASE LINE DATA**

Environmental data has been collected in relation to proposed mining for Air, Noise, Water, Soil, Ecology and Biodiversity.

**Table 9.1 Baseline Environmental Status** 

Attribute	Baseline status
Ambient Air Quality Ambient air quality was monitored at 5 locations within a 5 km radius of	Ambient Air Quality Monitoring reveals that the minimum & maximum concentrations of PM10 amongst all the 5 AQ monitoring stations were found to be 49.3µg/m³ at AQ1 and 86.5 µg/m³ at AQ2, respectively. As far as the gaseous pollutants SO2 and NO2 are concerned, the prescribed CPCB limit of 80µg/m³ for residential and rural areas has never surpassed at any station.
Noise Levels	The results of the monitoring program indicated that both the daytime and night time levels of noise were well within the prescribed limits of NAAQS, at all the 5 locations monitored.
Water Quality	The ground water from all sources remains suitable for drinking purposes as all the constituents are within the limits prescribed by drinking water standards promulgated by IS: 10500.  From surface water analysis results it is evident that most of the parameters of the samples comply with 'Category B' standards of CPCB, indicating their suitability for outdoor bathing.
Soil Quality	Samples collected from identified locations indicate the soil is sandy type and the pH value ranging from 7.43 to 8.02, which shows that the soil is alkaline in nature.
Ecology and Biodiversity	There is no wildlife sanctuary/ national park/reserved forest and protected forest or conservation reserve within 10 km of the lease area.

### **ANTICIPATED IMPACTS AND MITIGATION MEASURES:**

#### LAND ENVIRONMENT:

#### **Anticipated Impacts:**

Undercutting and collapse of river banks.

Excessive and unscientific riverbed material mining is a threat to bridges, dams and nearby structures.

River bank cutting and erosion.

Upstream erosion as a result of an increase in channel slope and changes in flow velocity.

Downstream erosion due to increased carrying capacity of the stream

Downstream changes in patterns of deposition.

Changes in channel bed and habitat type.

#### **Mitigation measures:**

Since the project is mainly for sand and boulder excavation (soil deficient), no loss of top soil is involved.

The silt and clay generated as waste will be used for plantation or filling up low lying area elsewhere.

Mining will be done leaving a safety distance of  $1/5^{th}$  of the width of the river from the bank inwards for bank protection.

In this activity, the work is proposed to be done manually which will avoid adverse effects associated with heavy machinery and their functioning.

The mining is planned in non monsoon seasons only, so that the excavated area gets replenished during the monsoon each year.

Grasses and bushes which have fibrous roots at the first instance are proposed to grown along the banks which enhances the binding properties of the soil. Hence protecting the banks.

The systematic and scientific removal of sand and boulder will not cause bed degradation.

Restoration of bank will be ensured at the end of mine closure every year.

#### **Anticipated Impacts:**

Mining of sand from within or near a river bed has a direct impact on the physico-chemical habitat characteristics. These characteristics include in stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge. Altering these habitat characteristics can have deleterious impacts on both in-stream biota and associated riparian habitat.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

alteration of flow patterns resulting from modification of the river bed an excess of suspended sediment Damage to riparian vegetation and in-stream habitat

The disturbance activities can also disrupt the ecological diversity in many ways.

#### **Mitigation measures**

Project activity will be carried out only in the dry part of the river bed. Hence, none of the project activities affect the water environment directly. In the project, it is not proposed to divert or truncate any stream. No proposal is envisaged for pumping of water either from the river or tapping the ground water.

In the lean months, the proposed sand mining will not expose the base flow of the river and hence, there will not be any adverse impact on surface hydrology.

The deposit will be worked from the top surface up to a maximum depth of 1.5m below ground level or above the ground water table whichever comes first. Hence mining will not affect the ground water regime as well.

Further mining will be completely stopped during the monsoon seasons to allow the excavated area to regain its natural profile.

#### AIR ENVIRONMENT:

#### **Anticipated Impacts:**

Emission of fugitive dust is envisaged due to:

Mining Activities includes excavation and lifting of minerals. The whole process will be done manually. Therefore the dust generated is likely to be insignificant as compared to mining processes involving drilling, blasting, mechanized loading etc.

Transportation of minerals will be done by road using trucks. Fugitive dust emission is expected from the transportation of trucks on the haul roads.

#### **Mitigation measures**

The collection and lifting of minerals will be done manually. Therefore the dust generated is likely to be insignificant as there will be no drilling & blasting. The only air pollution sources are the road transport network of the trucks. The mitigation measures like the following will be resorted:

Water sprinkling will be done on the haul roads twice in a day. This will reduce dust emission further by 74% (*Ref. Haul road dust control by WR REED & JA Organiscak*). The same can be seen as shown in the above graph (Fig.4.1).

Speed limits will be enforced to reduce airborne fugitive dust from vehicular traffic.

Spillage from the trucks will be prevented by covering tarpaulin over the trucks.

Deploying PUC certified vehicles to reduce their emissions.

Proper tuning of vehicles to keep the gas emissions under check.

Monitoring to ensure compliance with emission limits would be carried out during operation.

#### **NOISE:**

#### **Anticipated Impacts:**

Mental disturbance, stress & impaired hearing.

Decrease in speech reception & communication.

Distraction and diminished concentration affecting job performance efficiency.

#### **Mitigation measures**

The following measures have been envisaged to reduce the impact from the transportation of minerals:

The vehicles will be maintained in good running condition so that noise will be reduced to minimum possible level.

In addition, truck drivers will be instructed to make minimum use of horns in the village area and sensitive zones.

No such machinery is used for mining which will create noise to have ill effects.

Awareness will be imparted to the workers about the permissible noise levels & maximum exposure to those levels.

#### **BIOLOGICAL ENVIRONMENT**

#### **Anticipated Impacts:**

Excessive and unscientific riverbed sand mining results in the destruction of aquatic and riparian habitat through large changes in the channel morphology.

Access roads crossing the riparian areas will have impact on the species disturbing the ecosystem.

Mining may drive away the wild life from their habitat, and significantly affect wildlife and nearby residents.

Diminution of the quality and quantity of habitat essential for aquatic and riparian species.

Reduction in the yield of agriculture due to deposition of dust on the leaves, etc. of the crops.

Fragmentation of wildlife habitat and blocking of migratory paths/corridors. Isolation may lead to local decline of species, or genetic.

Mining on the streambed, braided flow or subsurface inter-sand flow may hinder the movement of fishes between pools.

#### **Mitigation measures**

As the proposed mining will be carried out in a scientific manner, not much significant impact is anticipated, however, the following mitigation measures will be taken to further minimize it:

No mining will be carried out during the monsoon season to minimize impact on aquatic life which is mainly breeding season for many of the species.

As the mining site has no vegetation, no clearance of vegetation will be done.

Prior to closure of mining operations/during the rainy season the eroded bank will be restored/reclaimed to minimize negative impacts on aquatic habitats.

Haul roads will be sprinkled with water which would reduce the dust emission, thus avoiding damage to the crops.

Mining will be carried out on the dry part of the lease area to avoid disturbance to the aquatic habitat and movement of fish species.

No discard of food, polythene waste etc will be allowed in the lease area which would distract/attract the wildlife.

No night time mining will be allowed which may catch the attention of wild life.

If wildlife are noticed crossing the area, they will not be disturbed at all.

Workers will be made aware of the importance of the wildlife and signage will be displayed at the sensitive areas to caution the workers & other passerby.

Access roads will not encroach into the riparian zones and if any riparian vegetation cleared off for the mining activity will be restored at the end of closure of mine.

# ENVIRONMENTAL MANAGEMENT PLAN (EMP) & ITS IMPLEMENTATION

Extraction will be done from the main channel leaving safety zone from bank & stream.

The maximum working depth will remain above ground water table of the area.

Provide health facilities to the workers & surrounding people in the impact area to reduce the health impacts.

Ensuring wildlife protection & arranging awareness campaigns for the same.

Minimize activities that release fine sediment to the river.

Check on traffic load due to transportation & maintenance of evacuation route.

Effective mitigation measures will be adopted to minimize disturbance during transportation & handling of minerals:

Establishment of reclamation program with plantation of local/native & fast growing species

Establishment of restoration plan during the closure of mine at the onset of monsoon season.

Establishment of effective Disaster Management Plan to take timely precautionary measures to avoid effects of impending disasters.

Establishment of effective Monitoring Program monitored by Environment Management Cell.

### BUDGET ALLOCATION FOR EMP IMPLEMENTATION

S. No	Description	Measures	Capital Cost (Rs. In lakhs)	Recurring Cost(in lakhs/annum)
1	Health Facilities	Medical Camps and Awareness program	1.0	1.3
2	Wildlife Protection	Importance of Wildlife (Awareness) Sign boards, information boards	0.5	0.05

3	Mineral transportation and Handling	Repairing and maintenance of Roads Water Sprinkling	0.5	0.3
4	Restoration and Reclamation	Plantation Maintenance of Check dams and Retention wall Restoration of banks	1.0 - -	0.36
To	otal		3.0	4.61

#### **BENEFITS OF MINING**

#### PHYSICAL BENIFITS

The opening of the proposed project will enhance the following physical infrastructure facilities in the adjoining areas.

**Improvement in Road Transport**/road communication due to the proposed project and maintenance will also be done time to time.

**Market:** Generating useful economic resource for construction. Excavated mineral will provide a good market opportunity.

**Enhancement of green cover:** As a part of reclamation plan, plantation will be carried along the river banks or along the road sides or near the civic amenities.

Creation of community assets (infrastructure) like provision for drinking water, construction of school buildings, village roads/ linked roads, dispensary & health centre, community centre, market place etc, as a part of corporate social responsibility.

#### **SOCIAL BENEFITS**

**Increase in Employment** Potential due to the project activity. Employment opportunities will increase both directly as well indirectly.

**Contribution to the Exchequer** as the saleable minerals will be given royalty. Since the quarries will be leased out to successful allottees, mining operation in the state will get legalized and it will fetch income to the state exchequer.

**Increased Health related activities**: Healthcare promotional activities will be undertaken. Preplacement & and Periodic medical checkups will be done, which will lift the general health status of the residents of the area. Health camps, medical aids, family welfare programs, immunization camp sports will be arranged.

**Educational attainments**: Educational activities will be promoted by the lessee. Awareness program will be arranged covering basic issues related to primary level education, environment, health and hygiene etc.

**Strengthening of existing community** facilities through the Community Development Programme.

#### **ENVIRONMENTAL BENEFITS**

Controlling river channel

Protecting of river banks

Reducing submergence of adjoining agricultural lands due to flooding.

Reducing aggradation of river level.

Protection of crops being cultivated along the river bank.

A check on illegal mining activity.

#### CORPORATE SOCIAL RESPONSIBILITY

A percentage of the project cost will be allotted for the Corporate Social Responsibility for activities related to education, social causes, healthcare & environmental.

\*\*\*\*\*\*

### <u>ifjp;</u>

i; kōj.k, oa ou ea=ky; ds fnukad 14 flracj 2006 ds ubZ fnYyh xt\$V vk§ mlds lakkèku ds vuqi] iŁrkfor [kuu ifj; kstuk dk Jskhdj.k **Jskh ch** ifj; kstuk ea fd; k x; k g\$A

Ifj; kstuk dk i Lrko x<eky eMy fodkl fuxe ¼th, eoh, u½ fyfeVM }kjk fd; k tk jgk

gA iirkodrklusjkuhgkB jr] ctjh, oaiRFkj [kuu ifj; kstuk dsuke Isvydumk unh ds 10.686 gDVsvj {ks= ij [kuu iVVsdsfy, vkomu fd; k gA iirkfor ifj; kstuk dsfy, ifj; kstuk dh vuækfur ykxr 15.50 yk[k #i; sgA

### **LFky**

iVVk  $\{k = m \hat{U}_k | k \leq m \hat{U}_k$ 

[kuu i VVs ds dks/kl/Mus/f (Mine lease co-ordinates); gka l phc) gs %

Latitude	30°13'38.008"N to 30°13'19.02"N
Longitude	78°47'31.34"E to 78°47'47.48"E

### [kuu

; g , d vkiu - **dkLV** [kuu ifj; kstuk g\$\dk; liwkl: i IsgLrpkfyr \%e\di; \psy\% gkskkftle\u00e4 QkoMk\u00e4 iYyk\u00e4 pyfu; k\u00e4 x\u00e4r; ku vkfn t\u00e4 sgLrpkfyr midj.kkadk mi; ksc fd; ktk, xkA

[kuu rVkals, d ljif{kr njih NkMrsgq 1-5 ehVj rd dh xgjkbleargkaeafd; k tk, xk vFkkir nkukarVkalsunh dh pkMkbldk 1@5 Hkkx rV dsLFkkf; Ro dsfy, NkMk tk, xkA

HkANkj.k dNkj dh I rg I s ds 1-5 ehVj uhpsrd; k Hknty ds Åij nksuka ea I sigysvkus okyh fLFkfr ea fd; k tk, xkA b I fy,] [kuu ds nkjku Hknry ty Lrj dks dHkh Hkh dkb/l {kfr ugha i gpskhA

[kuu doy fnu exfd; k tk, xk vkj ekul w \_\_rqdsnkjku iyih rjg cm j[kk tk, xkA

### fjtoZ

fjtoZ dh x.kuk dsfy, [kuu ; kK; {ks= dh | hek ij fopkj | rg | ls1-5 ehVj dh vfekdre xgjkbZdseísutj fd; k x; k g& VuHkkj dsvkdyu dsfy, | hek dh ek=k dk 2 dsvkif{kd ?kuRo | sxqkk fd; k x; k g&

Åij fyf[kr x.kuk dsvu( kj] l p; vuekur%2,51,000 Vu g& mRiknu %o"kZeayxHkx 2,26,000 Vu [kuu fd; k tk, xk] tksryNV dsvrokg dsdkj.kèkhj&èkhjsHkj tk, xkA

### LFky I fpèkk, a, oami; kfxrk, a

### ty vki fr?

Jfedkadksihusvkji?kjsywmi;kox dsfy, ikuh miyCèk djk;k tk,xkA èkny dksnckusdsfy, Hkh ikuh dh t:jrgkoxhA bl iLrkfor ifj;kstuk dsfy, dgy 2 KLD ikuh dh t:jrgkoxhA

### vLFkk; h vkokl %

JfedkadksfoJke dsfy, LFky dsutnhd, d vLFkk; h vkokl miyCèk djk; k tk, xkA bldsvfrfjDr] Jfedkadsfy, iFke mipkj nokvkadslkFk&lkFk fo"k&jkèkh nokvkavk§ lkQ&lQkbZdh 0; oLFkk vFkkir lflVd Vid; k lkempkf; d i (kkusdh lipoèkk egg) k djkbZtk, xhA

### cs ykbu vkodMs%

ilrkfor [kuu dsifr ok; ] èofu] ty] enk] ikfjflFkfrdh vk\$ tbfofoèkrk dsi; kbj.kh; vkædMkadk læg dj fy; k x; k g\$\lambda

l kj.kh 9-1 i ; kōj.k dh vkekkijd fLFkir

fo'kskrk	vkkkijd fLFkir		
ifjoskh ok; qdh	i;kbj.kh ok;qdh xqkoRrk dsv/;;u n"kkrsg&fd   Hkh 5 ok;wfuxjkuh		
xqkoùkk	LVskukadsfy, PM10 dk U;wre vk <b>y</b> vfèkdre   <b>ada</b> nzk Øe'k%		

	AQ1 $\Theta$ 49.3 $\mu$ g/m <sup>3</sup> $V$ $M$ AQ2 $\Theta$ 86.5 $\mu$ g/m <sup>3</sup> $I$ $K$ ; $K$ $X$ ; $M$
	t gkard $so_2$ Vk $\mathbf{y}$ $No_2$ ds $x\mathbf{y}$ h; in that r Roka dk   scak $g$ $\mathbf{y}$ Vkokl h; Vk $\mathbf{y}$ xteh.k {ks=ka ea fdl h Hkh danz ij itrkfor l hihl hch dh l hek $80~\mu g/m^3$   s Vkxs dHkh ugha c < h $g$ $\mathbf{y}$
"kkj	"kkgi dk v/;;u 5 LFkkukaij fd;k x;kA bl v/;;u ds ifj.kke n"kkhrsg&fd fnu vk§j jkr nksukale; ea"kkgi ds Lrj I Hkh 5 LFkkukaij NAAQs½jk′Vh; ekuadks}kjk½fu/kktjr I hek ea FkA
ty dh xqkoÙkk	Hkhiexr ty ds 3 uewka vkj Irgh ty ds 3 uewka dk
	fo"ysk.k fd; k x; k vk <b>s</b> i k; k x; k fd%
	<ul> <li>I Hkhl krka I s Hkhiexr ty is iz kstu ds fy, mi; prg b) D; kad I Hkh vo; o Hkkjrh; ekud vkb7, I % 10500 ds ekun. Mkads vu j kj fu/kktjr I hek I s de ik; s x; s A</li> </ul>
	<ul> <li>Irgh ty ds fo"ysk.k Is Kkr gkrk gS fd uewkads vf/kdkrk ekud I hihl hch ds "Uskh ch" ekudkads vunkj mi; pr gji; g baxr djrk gS fd ; s Luku bR; kfn ds fy, mi; pr gja</li> </ul>
enk xqkoùkk	fpfgur LFkykalsfy, x, uenukalsirk pyrk g\$fd feVVh cynybZg\$vk\$ bldk ih,p eN; 7-43 ls8-02 dschp g\$A
i kfjfLFkfrdh , oa t <b>b</b> fofoèkrk	iVVk {ks=ds 10 fdeh ds Hkhrj dkb/loU; tho vHk; kj.;@jk"Vh; m ku@laprouvk\$jljjf{krourFkk ljj{k.k lap;ughag&

i wkłuęktur i Hkło , oaU; wholj.k olsmik; %
Hkłe i; kłoj.k %

### ivkuekfur itko %

- unh rVkadh van: uh dVkbZ vkj èkal kuA
- unh dNkj dsinkFkZ dsvfr vkj vojKkfud [kuu Isigykj ckèkka vkj fudVorhZ edkuka dks [krjk gjA
- unh rV dh dVkbZ vkj dVkoA
- pusy ds <ky en of) vky i i bkg dh xfr en i fjorlu ds QyLo: i i fri bkg dk vijnuA
- fu{ki.k dh l jipukvka ea vu ji pkgh i fjorluA
- plusy dsdNkj, oavkokl Lo: i eaifjorlu

### 'keu dsmik;

- ifj;kstuk døy jr] ctjh vkj iRFkj ds [kuu ½feVVh dh fudkl h½ ds fy, gj) bl fy, Åijh feVVh dk dkbZuqdl ku ughagkxkA
- $\vee$  if 'k"V ds: i eamRillu xkn  $\vee$ k\$ feV\n dk mi; kx dgha $\vee$ U; = [k\$rh  $\vee$ Fkok fupys bykds dks Hkjus ds fy, fd; k tk, xkA
- rV lj{k.k dseísutj [kuu vn: uh rV lsunh dh pks/kb/ds1@5 Hkkx dh ljf{kr njih dksNks/H+dj fd;k tk,xkA
- bl dk; Ze) dk; Z'kkjhfjd: i Isfd; k tk, xk ftllsHkkjh e'khukavký mudsdk; Z
   dsifrdny i Hkko Iscpko gkxkA
- [kuu ekul wu \_\_rqdks NkM+dj gh fd; k tk, xk] rkfd [kfur {ks= dk gj o"kZekul wu ds nk§ku i wHk].k gks l d≴
- rVka ds vklikl ?kkl vk§ >kfM+ ka ftudh tMajš knokj gkrh g§ yxkbZ tk, axh rkfd feVVh ds càkdkjh xqkka ea of) gksldå
- jr] ctjh vkj i RFkj dks0; ofLFkr vkj ofKkfud <a lsgVkusdsQyLo: i dNkj dk {kj.k ughagkxkA

15/X

• gj o"k½ [kuu cn djusdsle; rV dk uohuhdj.k fd;k tk, xkA

### <u>ty i;koj.k%</u>

### ivkuektur ikko %

foll h unh ds dNkj ds Hkhrj vFkok mlds vklikl [kuu dk ik; {k iblko Hkksrd&jklk; fud vkokl vfHky{k.kka ij iMfk g\$\land bu vfHky{k.kka ea èkkjk dh #{krk] xgjkb] osc] xnysiu] ryNV dk cguk vk\$\sir iokg 'kkfey g\$\land bu vkoklh; vfHky{k.kka ea ifjoru lsvr\&èkkjk ds thotxr vk\$\sir loc) rVorh\vkokl {ks= ij ?kkrd iblko iMfk g\$\land a

dNkjh inkFkZds [kuu dsQyLo: i thotxr dksigppusokys?kkrd iHkko dsdkjd blidkj g8%

- 1- unh dNkj ds: iifjorlu dsQyLo: i iokg ljipuk engkusokyk ifjorlu
- 2- ryNV dk vR; fèkd teko
- 3- rVorhZouLifr {k⊊ rFkk ∨ar%&èkkjk i;kbkl dh {kfr

minoh xfrfofèk; ka ds dkj.k Hkh i kfjfLFkfrdh; fofoèkrk dks dbZ: i ka ea uppl ku igpprk g&

### U; whdj.k dsmik;

ifj; kstuk dk; Zunh ds dspy I v[ks {ks= eaiyik fd; k tk, xkA bl fy,] ifj; kstuk ds fdl h Hkh dk; Zdk i; kbj.k ij dkbZiR; {k i Hkko ugha i MsxkA i fj; kstuk ea fdl h Hkh i bkg ds ekxZea i fjorZu vFkok mldh dkV&NkW djus dk dkbZiLrko ugha gA unh I s i a l s i kuh fudkyus; k VS I s Hkwty ds d'kZk ds fdl h Hkh i Lrko ij fopkj ugha fd; k x; k gA

[kjkcle; ½yhu eFl½e] i i i trkforjr [kuulsunh dsiokg dk vkèkkj i i i kkfor ugha gkxk vkj blhfy, Irg dh tyfLFkfrij dkb/lifrdny i i i kko ugha i MxkA

HKANKj.k Åijh Irg IsHkury dh 1-5 ehVj uhpsdh xgjkbZvkSj Hkuty Lrj IsÅij nksuka fLFkfr; ka ea tksHkh fLFkfr igysvk, mleafd; k tk, xkA tksHkh igysvk, A blfy, [kuu dk Hkuty izkkyh ij Hkh dkbZifrdny ikkko ugha i MexkA ; gh ugh) [kuu dk; Zekul wu ds nk) can dj fn; k tk, xk rkfd [kfur {k⊊ ik—frd : i I siwuHk]j.k gksldA

### ok; qi; koj.k %

### ivkuęktur ikko %

gok earsjusokyh èkny dsmRl til ij fuEufyf[kr dkj.kkalsfopkj fd;k tkrk gs% d- [kuu dk;keea [kfutkadk [kuu ,oa<gykbl'kkfey g& liwklifØ;k gLrpkfyr gkxhAblfy, [kuu dsfMfyak] foLQkV] e'khuh <gykblvkfn tssdk;kedh rgyuk eaèkny de ishk gkxhA

[k- [kfutkadh <gykb] | Med ekx] | s Vedka | s fd; k tk, xkA igp ekx] ij Vedkadh vkoktkgh | s mMusokyh èkny dk mR| t]u gks| drk g\$\frac{1}{2}

### U; whdj.k dsmik;

[kfutkadk laxg vkg < gykbldk dk; lJfed gkFkkalsdjaxs bleafMfyax; k foLQkb/dk lgkjk ughafy; k tk, xk blfy, èkny cgr de mRilu gkxhA Velkadk lMed ifjogu raok; qinkk.k dk, dek= lkr gs U; whdj.k dsfuEufyf[kr mik; viuk, tk,axs%

d-igp ekxkeij fnu eanksckj ikuh dk fNMedko fd; k tk, xkA bllsèkny dsmRl tlu ea 74 ifr'kr vkg deh gkxh ¼ n- MCY; nvkj jhM o ts vkhkuldåd dk gkhly jkM MLV davksy/A blsÅij ilror xkQ eans[kk tk ldrk gs/kp= 4-1½A

[k- okgukadh vkoktkgh I s mMus okyh èkny eadeh ykus ds e í sutj xfr I hek, a ykxwdh tk, akhA

x-Valkaij frjiky Mky dj Valkalsgkusokys Nydko dhjkod Fkke dhtk, xhA?k-mRI tlu dksde djusdsfy, ih; wih dsiæk.ki = iklrokgu pyk, tk, xxAp-xs mRI tlu dksfu; i=rj[kusdsfy, okgukadh leipr V; inux dh 0; oLFkkAp-dk; ldsnksku mRI tlu lhek dk vuijkyu lipuf'pr djusdsfy, fuxjkuh 0; oLFkkAp-

#### èofu %

### vuęktur iłko %

- ekufl d v'kkfir] ruko vkf Jo.k 'kfDr dh {kh.krkA
- cksyus vk\$ ckrphr djus dh 'kfDr ea dehA
- , dkxrk Hkx ∨ks de gkuk & QyLo: i dk; I fu"i knu {kerk i Hkkfor

### U; whdj.k dsmik;

[kfutkadh <gykb2 | s mRillu i Mukkoka ea deh ds fy, fuEufyf[kr mik; kaij fopkj fd; k x; k g\$%

d- okgukadk vPNh pkywgkyr eaj[kj[kko fd;k tk,xk rkfd èofu ;Fkkl liko ll;wre Lrj rd de dh tk l da

[k-blds vfrfjDr] Vd pkydka dks xkoo ds lkFk&lkFk loonu'khy {ks=ka ea Hkkaiw dk mi; ksx de lsde djusdk funkk fn; k tk, xkA

x- [kuu dk; Zea, sh fdlh Hkh e'khu mi; kx ughafd; k tk, xk ftllsifrdny i Hkko Mkyusokyh èofu mRillu gkA

?k- Jfedkadksèofu dsfuèkktjr Lrjkavkj mu Lrjkadk vfèkd Isvfèkd ikyu djusds ifr tkx: d fd; k tk, xkA

### thod i; kbj.k%

### ivkuektur ikko %

- unh dsdNkj Isjr dsvfr vkj volkkfud [kuu dsQyLo: i ty izkky dh vk— fr eaifjorlu dsdkj.k tyh; vkj rVorhZik—frd vkokl dk uk'k gkrk gla
- rVorhZ {ks=kalsgksdj xqtjusokysigqp ekxks=dk i&M&ik&ik&kkavkfn ij iblkko iMsxk ftllsi;koj.k izkkyhvlqrfyr gksxhA
- [kuu ds dkj.k oll; tho vius vkokl {ks= ls nuj tk ldrs g\} ftldk i;klr ifrdny i\text{klko oll; thou, oalehi eajgus okys ykskaij iMskkA
- tyh; ,oarVorhZ thotxr dsfy, vko'; d ik—frd vkokl dh xqkoùkk vkg ek=k eadehA

18/X

- Qlykadsiùkkavkfn ij èkny teusdspyrs [krh dh mit eadeh
- oll; tho ds ik—frd vkokl dk {kj.k vkj i okl i kFkkøexfy; kj ka dk vo#) gksukA foyxko ds QyLo: i LFkkuh; itkfr; ka; k mRifùk ea deh gksldrh gå
- èkkjk ry] i VVh i okg 1/cMM ¶yk½; k I rg dh jr 1/oN/j&I M½ ds [kuu I s tyk'k; ka ea eNfy; ka dh xfrfofèk ckfèkr gks I drh gN

### U; whdj.k dsmik;

iltrkfor [kuu dk; loskkfud < ax lsfd; k tk, xk] blfy, vfekd xllkhj illkko dh lllkkouk ughags fdan bleavks deh dsfy, fuEufyf[kr mik; fd, tk, axs%

- 1- tyh; thokaij i Musokysi klkko dks de djus ds fy, ekul nu ds ekse nksjiku] tks db/Z thokads tuu dk ekse gkrk gs/S dkb/Z [kuu dk; /Z ughafd; k tk, xkA
- 2- [kuu LFky ij dkb/ouLifr ughag] bl fy, ouLifr dh I Qkb/ughadh tk, xhA
- 3- igppa ekxksij ikuh dk fNMedko fd; k tk, xk ftllsèkny mRltu ea deh vk§ Olykadsupplku dhjkodFkke gkxhA
- 4- tyh; thoka ds ik—frd vkokl vk§ eNfy; ka dh xfrfofèk dks ckfèkr gkus Is cpkus ds eíutj [kuu dk; li VVk {ks= ds doy l v[ks {ks= ij fd; k tk, xkA
- 5- Hkkstu ds tiBu] ikthyFkhu ds dtMads ifr oll; thoka ea fodkik@vkd"kik gks I drk gs bl fy, i VVk {ks= ea, sl s i nkFki Qtdus dh vuefr ughagkskhA
- 6- [kuu dsifr oll; thokadk è; ku vkdf"kir gksldrk g\$blfy, jkr dsle; [kuu dk; Idh vuæfr ughagkschA
- 7- ; fn oll; tho {ks= | s xqtjrsns[ks tk, ] rksmlgafd| h Hkh rjg | s ckèkk ugha igqpkb/l tk, xhA
- 1. Jfedkadksol; thokadsifr tkx: d fd; k tk, xk vkg JfedkarFkk vl; vku&tkus okysykxkadkslprdjusdsfy, lønu'khy {ks=kaij lødryxk, tk, xkA dkadsifr lprfd; k tk, xkA
- 2. igpp ekx1rVorh1 {ks=kadk vfrØe.k ughadjaxs vk3 [kuu dk; 1 ds fy, ; fn dkb1 ouLifr dkVh tkrh g\$rks [kuu dk; 1 injk gks tkus ij injk oujki.k fd; k tk, xkA

19/X

### i;kōj.k icàku ;kstuk ¼o,eik½,oaml dk dk;kbo;u

- laxg rV ∨k\$ èkkjk Isljif{kr {k\s= NkMrsgq eq[; izkky Isfd;k tk, xkA
- dk; ldh vfèkdre xgjkbl {ks= ds Hknty Lrj ds Åij jgxhA
- LokLF; ij iMusokysifrdny iHkkokadksde djusdsfy, iHkko {ks= eaJfedka vk\$ vkl ikl dsykxkadksLokLF; I fjoèkk, a egg\$ k djkbZ tk, xkhA
- oll; tho lij{k.k lifuf'pr dh tk, xh vkj bl dsfy, tkx: drk vfHk; ku pyk, tk, xf
- , I h xfrfofèk; kade dh tk, xh ftuds QyLo: i l (e ryNV unh eaigp I d.)
- <gykbl vkg fudkl ekxldsj[kj[kko dspyrsifjogu ij iMusokysHkkj ij fu; a=.k j[kk tk, xkA</p>
- ifjogu vk§ [kfut inkFkksdsj[kj[kko dsnk§ku mRiUu gksusokyh xMeMh dks de djusdsfy, U; whdj.k dsiblko'kkyh mik; viuk, tk, axs%
- LFkkuh; @eny , oarsth I s c < tusokys thokads fy, I takij dk; De dk I takyuA</li>
- ekul w \_\_rqds vkus ds l e; [kuu ds cnh ds nkj ku uohuhdj.k; kst uk dk fØ; kllo; uA
- I Hikkfor vkinkvkal scpusdsfy, le; ij, gfr; krh mik; viukus gsq i Hikko'kkyh vkink i càku ; kstuk dk fØ; kUo; uA
- i;kbj.k izàku izlk\$B }kjk iłkko'kkyh fuxjkuh dk; Øe dk fØ;kllo; uA

### bł, e-ih dsfy, ct V v koż u

Øe I a	fooj.k	mik;			lkathxr Ykkxr eV; : - yk[kkaea	<b>vkoirh e¥;</b> #- Ykk[kka ea@1 kykuk
1	LokLF;	e <b>s</b> Mdy	d§i	∨k <b>ÿ</b>	1.0	1.3

	l <b>íj</b> o/kk	tkx#drk i <b>kxk</b> e		
2-	[kfut dk j[k[kko ∨k <b>\$</b>	& OkU; thoka dk egRo ½tkx: drk½	-	0.05
	I pkyu	& I kbu ckMZ I pouk ckMZ	0.5	0.1
3-	i <b>p</b> kbLFkk dh i kflr	& IMdkadh ejEer ∨k <b>s</b> j[kj[kko	0.5	0.3
		& ty fNMelko	-	1.2
4-	ou thoka dk	& o`{kkjkij.k	1.0	0.36
	<b>j</b> {k.k	& ck/kka dh ckf/kr nhokj dkj[kj[kko	-	0.3
		& fdukjkadsejEer dk; 1	-	1.0
	·	d <b>y</b>	3.0	4.61

### [kuu dsYkkkk

### HWGrd ykk

iŁRkkfor ifj; kstuk dsikj#k gksus Is∨kIikI dsfuEufyf[kr {ks=kæeæHkkford cfju; knh <ksps dksc<kok feyskkA

d-IMed ifjogu ; k IMedkal i dlea of)

[k-[kfut IsvPNscktkjh volj feyxA

Xk- gfj; kyh o{kkjki .k dks c<kok

?k-lenpkf; difjliafùk; kadk l`tu ½cqu; knh <kp½

### LWelftd yHK%

d½ jkst xkj ea of)

[k½jktdksk eaváknku ¼[kfut fd fcØh l sjktLo iklr gkskk½

|Xk½ LokLF; | cfs/k xfrfof/k; k dks c<kok

?k½ "k**\$**{kd xfrfof/k; kacukus vk**\$** mudks c<kok n**u**s dh ; kst ukA

M-½ rRdkyhu lenk; k dk lni<a href="hdj.k">hdj.k lkenkf; d fodk; Øe ds ek/; e ls lnjo/kk dk; ØeA

### i;koj.kh; ykk%

d½ ufn; ka dh /kkjk∨ka ij fu; æ.kA

[k½ ufn; ka ds fdukj ka dh l j {kkA

Xk½ ck< dsdkj.k vkl &ikl ds{ks=kadsdf′k Hkme dksde lsde tyeXu gkuslscpkukA?k½ unhsLrj dsmPp; u dksde djukA

M½ unh dsfdukjkads vkl ikl ij mxh Qlykadh ljj{kkA p½ vo%k [kuu jkdusdsmik; A

### dkikj V I kekitd nki; Ro

fuxfer lekftd nkf; Ro xfrfof/k; ka ds fy, ifj; kstuk ykxr dk vák vkoáVr fd; ktk, xk] TkS s f'k{kk} l kekkftd dkj.k] LOkkLF; , oa i; kōj.k ns[kHkkyA

\*\*\*\*\*