

### Ambient Air Quality Characteristics (Year 2020)

City	Dehradun												Rishikesh			Haridwar			Haldwani				Kashipur				Rudrapur				
Locations	Clock Tower				Raipur Road				Himalayan Drug, ISBT				Nagar Palika Parishad			SIDCUL			Govt. Hospital				Govt. Hospital								
Zone	Commercial				Commercial/ Residential				Commercial/ Industrial				Commercial			Industrial			Commercial				Sensitive								
Month	P.M.10 (µg/ m3)	P.M. 2.5 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	P.M. 2.5 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	P.M. 2.5 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	S.P.M. (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	S.P.M. (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	P.M.10 (µg/ m3)	S.P.M. (µg/ m3)	SO2 (µg/ m3)	NO2 (µg/ m3)	
January	171.33	92.27	24.49	28.43	128.68	71.68	23.78	27.77	183.42	103.14	25.10	29.00	112.3	21.03	27.51	126.68	16.29	21.04	108.7	174.38	7.06	26.45	123.78	205.08	13.34	22.54	121.09	206.28	13.32	22.39	
February	191.1	91	25.12	29.28	130.23	71.75	24.54	28.19	214.13	101.15	25.69	29.45	109.02	22.3	27.1	127.45	16.25	20.73	111.29	176.87	7.98	29.44	124.6	212.3	13.27	22.56	125.46	213.76	13.23	22.42	
<b>Standards :</b>																															
Annual	60		20	30	60		20	30	60		20	30	60	50	40	60	50	40	60		50	40	60				60				
24 hours	100		80	80	100		80	80	100		80	80	100	80	80	100	80	80	100		80	80	100				100				