Week: 15.12.2019 to 22.12.2019

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar Palika	Govt. Hospital,	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Parishad,	Kashipur	Hospital,	Hospital,
	Dehradun			Rishikesh		Rudrapur	Haldwani
PM10	154.09	121.5	187.2	119.33	129.36	120.98	114.9
PM2.5	92.6	72.34	106.46	-	-	-	-
SO2	22.73	22.43	23.51	21.03	12.79	13.15	6.6
NOx	26.97	27.21	28.8	25.99	22.43	22.46	27.9
AQI	209	141	255	113	120	114	110
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 23.12.2019 to 29.12.2019

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar Palika	Govt. Hospital,	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Parishad,	Kashipur	Hospital,	Hospital,
	Dehradun			Rishikesh		Rudrapur	Haldwani
PM10	171.86	132.65	190.61	111.07	120.52	121.91	115.4
PM2.5	79.43	70.5	107.51				
SO2	23.66	22.53	24.21	21.4	13.2	13.17	8.95
NOx	28.16	27.22	29.26	26.38	22.5	22.4	26.3
AQI	165	135	258	107	114	115	110
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 30.12.2019 to 05.01.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar Palika	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Parishad,	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Rishikesh		Kashipur	Rudrapur	Haldwani
PM10	148.62	127.27	184.89	110.64	130.07	116.44	124.13	113.1
PM2.5	92.28	R.F.	109.34					
SO2	23.67	23.48	24.44	20.89	21.25	13.21	13.18	7.85
NOx	28.34	27.73	29.12	26.77	16.08	22.46	22.45	27.2
AQI	208	118	264	107	120	111	116	109
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 05.01.2020 to 12.01.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar Palika	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Parishad,	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Rishikesh		Kashipur	Rudrapur	Haldwani
PM10	149.61	130.29	168.85	122.52	133.38	129.39	116.34	111.3
PM2.5	90.34	73.44	105.28	-	-	-	-	-
SO2	2404	23.14	24.38	21.6	20.06	13.24	13.21	6.8
NOx	27.8	27.25	28.8	27.55	15.94	22.26	22.19	26.2
AQI	201	145	251	115	122	120	111	108
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 12.01.2020 to 19.01.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar Palika	SIDCUL,	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Parishad,	Haridwar	Hospital,	Hospital,
	Dehradun			Rishikesh		Kashipur	Haldwani
PM10	147.5	129.83	187.19	108.55	140.38	120.84	101.25
PM2.5	92.42	80.16	93.6				
SO2	24.71	23.99	24.92	21.05	21.22	13.4	5.97
NOx	28.64	27.86	28.53	27.66	16.21	22.65	24.15
AQI	208	167	212	106	127	114	101
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 19.01.2020 to 26.01.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Palika	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Parishad, Rishikesh		Kashipur	Rudrapur	Haldwani
				Kisnikesn				
PM10	192.7	127.42	189.97	114.23	125.70	131.27	121.4	115.95
PM2.5	101.8	74.27	108.22					
SO2	24.76	24.1	25.5	20.98	21.46	13.39	13.45	8.03
NOx	28.69	27.84	29.21	27.98	16.60	22.61	22.48	31.16
AQI	239	148	261	109	117	121	114	111
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-	Minor breathing discomfort to sensitive people
100)	
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 27.01.2020 to 01.02.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower, Dehradun	Dehradun	Dehradun	Palika Parishad, Rishikesh	Haridwar	Hospital, Kashipur	Hospital, Rudrapur	Hospital, Haldwani
PM10	172.02	129.26	177.37	110.5	118.87	120.81	124.92	104.69
PM2.5	72.11	63.97	98.05					
SO2	24.3	23.84	26.17	21.39	20.98	13.42	13.4	7.2
NOx	28.07	27.88	29.72	27.32	16.32	22.59	22.61	24.3
AQI	148	120	227	107	113	114	117	103
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-	Minor breathing discomfort to sensitive people
100)	
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 02.02.2020 to 09.02.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower, Dehradun	Dehradun	Dehradun	Palika Parishad, Rishikesh	Haridwar	Hospital, Kashipur	Hospital, Rudrapur	Hospital, Haldwani
PM10	195.93	130.76	213.1	105.25	127.20	124.85	126.49	119.8
PM2.5	89.89	76.71	100.02					
SO2	25.11	24.4	25.46	21.12	16.24	13.27	13.33	8.7
NOx	28.74	27.88	29.06	26.63	21.10	22.69	22.42	32.9
AQI	200	156	233	104	118	117	118	113
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51- 100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 10.02.2020 to 16.02.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Palika	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Parishad,		Kashipur	Rudrapur	Haldwani
				Rishikesh				
PM10	199.59	133.57	212.85	116	123.95	128.07	124.78	113.63
PM2.5	89.39	66.61	101.61					
SO2	24.49	23.98	24.66	22.18	21.16	13.23	13.26	8.8
NOx	29.19	28.02	29.53	27.45	16.36	22.5	22.46	30.4
AQI	198	122	239	111	116	119	117	109
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-	Minor breathing discomfort to sensitive people
100)	
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 17.02.2020 to 23.02.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Palika	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Parishad, Rishikesh		Kashipur	Rudrapur	Haldwani
PM10	185.07	123.44	214.1	111.44	128.44	122.03	125	104.26
PM2.5	89.61	72.31	103.59					
SO2	25.02	24.97	26.23	22.96	20.01	13.3	13.21	6.87
NOx	29.76	28.65	29.94	26.38	15.67	22.51	22.4	26.82
AQI	199	141	245	108	119	115	117	103
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-	Minor breathing discomfort to sensitive people
100)	
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases

Week: 24.02.2020 to 01.03.2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock	Raipur	ISBT,	Nagar	SIDCUL,	Govt.	Govt.	Govt.
Parameter	Tower,	Dehradun	Dehradun	Palika	Haridwar	Hospital,	Hospital,	Hospital,
	Dehradun			Parishad,		Kashipur	Rudrapur	Haldwani
				Rishikesh				
PM10	180.17	133.78	208.17	105.27	132.698	129.7	125.61	108
PM2.5	95.13	70.99	100.72					
SO2	25.83	25.35	26.66	22.72	21.46	13.21	13.13	7.49
NOx	29.21	28.66	29.53	26.82	16.72	22.46	22.24	27.53
AQI	217	137	236	104	122	120	117	106
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

Good (0-50)	Minimal Impact
Satisfactory (51-	Minor breathing discomfort to sensitive people
100)	
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-	Respiratory illness on prolonged exposure
400)	
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases