

HEAD OFFICE

Uttarakhand Environment Protection
and Pollution Control Board
29/20, Nemi Road, Dalanwala,
Dehradun(Uttarakhand)



उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण
बोर्ड
29/20, नेमी रोड, डालनवाला, देहरादून (उत्तराखण्ड)

Phone: (0135) 2658086; Fax: (0135) 2718092; E-mail: msukpcb@yahoo.com; Web: www.ueppcb.uk.gov.in

Ref: UEPPCB/HO/ Gen-286(III) Temp

2/2019/ 8446-7498
BY SPEED POST

Dated:- 28/01/19

To,
Prakash Country (A unit of Ashish Builders),
Khasra No 157, Vill. Paiga
Kashipur, Dist. U.S. Nagar

Directions under section-33(A) of the Water (Prevention and Control of Pollution) Act, 1974
and section-31(A) of the Air (Prevention and Control of Pollution) Act, 1981.

WHEREAS, the Central Government has made the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, and vide provisions of these Acts every water/air polluting industry/unit is required to obtain Consent to Establish and Consent to Operate from the State Pollution Control Board; and

WHEREAS, for the purposes of protecting and improving the quality of environment and preventing and abating environmental pollution, the standards for discharge of environmental pollutants from the industries, operations or processes, have been specified under the Environment (Protection) Rules, 1986; and it is mandatory to every industries, operations or processes of keep their effluent/emission quality within the specified norms all the time; and

WHEREAS, as per section-25 of the Water (Prevention and Control of Pollution) Act, 1974 and section-21 of the Air (Prevention and Control of Pollution) Act, 1981, it is the mandatory requirement for any industry, operation or process, or any treatment and disposal system or any extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land/emit air emission; to obtain prior Consent from the Board; and

WHEREAS, as per report of Regional Office, Kashipur (Distt Distt. US Nagar (Uttarakhand)) of this Board, unit has been issued direction to Show Cause for Closure as the unit has not obtained CCA from the Board dated 28.08.2018; and

WHEREAS, as per report of the Regional Office Kashipur received on 17.11.2018, it is reported that the unit has not provided Sewage Treatment Plant.

AND NOW THEREFORE, in view of above observations, recommendations of the Regional Officer, Kashipur; and in exercise of the power conferred under Section-33(A) of the Water (Prevention and Control of Pollution) Act, 1974 Section-31(A) of the Air (Prevention and Control of Pollution) Act, 1981, as amended thereafter, with approval of the Competent Authority of the Board, direction to show cause dated 28.08.2018 issued to your unit is hereby modified with a direction that the unit will provide Sewage Treatment Plant for treatment of Sewage will obtain Consent to Operate from the Board.

MEMBER SECRETARY

Copy to:

1. Chairman, UEPPCB, Dehradun for kind information please.
2. Regional Officer (I/C), UEPPCB, Kashipur for strict compliance of the directions.
3. Guard file.


MEMBER SECRETARY