

1st week of January 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	149.61	130.29	168.85	122.52	133.38	129.39	116.34	111.3
PM2.5	90.34	73.44	105.28	-	-	-	-	-
SO2	24.04	23.14	24.38	21.6	20.06	13.24	13.21	6.8
NOx	27.8	27.25	28.8	27.55	15.94	22.26	22.19	26.2
AQI	201	145	251	115	122	120	111	108
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

2nd week of January 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Haldwani
PM10	147.5	129.83	187.19	108.55	140.38	120.84	101.25
PM2.5	92.42	80.16	93.6				
SO2	24.71	23.99	24.92	21.05	21.22	13.4	5.97
NOx	28.64	27.86	28.53	27.66	16.21	22.65	24.15
AQI	208	167	212	106	127	114	101
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate

3rd week of January 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	192.7	127.42	189.97	114.23	125.70	131.27	121.4	115.95
PM2.5	101.8	74.27	108.22					
SO2	24.76	24.1	25.5	20.98	21.46	13.39	13.45	8.03
NOx	28.69	27.84	29.21	27.98	16.60	22.61	22.48	31.16
AQI	239	148	261	109	117	121	114	111
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

4th week of January 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	172.02	129.26	177.37	110.5	118.87	120.81	124.92	104.69
PM2.5	72.11	63.97	98.05					
SO2	24.3	23.84	26.17	21.39	20.98	13.42	13.4	7.2
NOx	28.07	27.88	29.72	27.32	16.32	22.59	22.61	24.3
AQI	148	120	227	107	113	114	117	103
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

1st week of february 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	195.93	130.76	213.1	105.25	127.20	124.85	126.49	119.8
PM2.5	89.89	76.71	100.02					
SO2	25.11	24.4	25.46	21.12	16.24	13.27	13.33	8.7
NOx	28.74	27.88	29.06	26.63	21.10	22.69	22.42	32.9
AQI	200	156	233	104	118	117	118	113
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

2nd week of february 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	199.59	133.57	212.85	116	123.95	128.07	124.78	113.63
PM2.5	89.39	66.61	101.61					
SO2	24.49	23.98	24.66	22.18	21.16	13.23	13.26	8.8
NOx	29.19	28.02	29.53	27.45	16.36	22.5	22.46	30.4
AQI	198	122	239	111	116	119	117	109
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

3rd week of february 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	185.07	123.44	214.1	111.44	128.44	122.03	125	104.26
PM2.5	89.61	72.31	103.59					
SO2	25.02	24.97	26.23	22.96	20.01	13.3	13.21	6.87
NOx	29.76	28.65	29.94	26.38	15.67	22.51	22.4	26.82
AQI	199	141	245	108	119	115	117	103
Air Quality	Moderate	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

4th week of february 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	180.17	133.78	208.17	105.27	132.698	129.7	125.61	108
PM2.5	95.13	70.99	100.72					
SO2	25.83	25.35	26.66	22.72	21.46	13.21	13.13	7.49
NOx	29.21	28.66	29.53	26.82	16.72	22.46	22.24	27.53
AQI	217	137	236	104	122	120	117	106
Air Quality	Poor	Moderate	Poor	Moderate	Moderate	Moderate	Moderate	Moderate

1st week of March 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	189.47	131.43	193.82	117.86	126.38	124.8433	127.1133	101.966
SO2	25.47	24.09	25.71	22.56	16.09	13.31833	13.23333	6.28
NOx	28.65	27.35	29.16	27.63	20.45	22.59	22.36667	25.4
AQI	160	121	163	112	118	117	118	101
Air Quality	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate

2nd Week of March 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	183.17	114.42	RF	103.54	120.27	133.9342	129.355	107.0167
SO2	25.24	23.42	RF	23.51	15.95	13.32583	12.965	6.901667
NOx	29.62	26.37	RF	26.96	20.36	22.72667	22.0175	26.10333
AQI	155	110		102	114	123	120	105
Air Quality	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate

3rd Week of March 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	171.52	114.72	211.75	111.45	-	123.255	125.765	118.0667
SO2	24.31	23.83	26.09	24.43	-	13.17	22.0875	8.283333
NOx	28.26	26.72	29.75	27.61	-	22.54083	13.48083	30.45833
AQI	148	110	175	108	-	116	117	112
Air Quality	Moderate	Moderate	Moderate	Moderate		Moderate	Moderate	Moderate

4th Week of March 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	165.58	113.9	196.20	111.38	COVID-19	COVID-19	COVID-19	COVID-19
SO2	24.74	24.89	26.11	23.73	COVID-19	COVID-19	COVID-19	COVID-19
NOx	27.91	26.45	28.69	26.57	COVID-19	COVID-19	COVID-19	COVID-19
AQI	144	109	164	108	-	-	-	-
Air Quality	Moderate	Moderate	Moderate	Moderate	Monitoring could not done due to COVID-19			

1st Week of Apr 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	76.01	72.58	67.005	53.555	31.87667	74.92333	77.18667	68.6
PM2.5								
SO2	6.95	5.7375	8.305	5.56	3.039	8.028333	8.423333	4.866667
NOx	8.0575	6.905	11.1425	6.5875	8.7985	12.08667	13.02833	15.84167
AQI	76	73	67	54	32	75	77	69
Air Quality	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Good	Satisfactory	Satisfactory	Satisfactory

2nd Week of Apr 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station Parameter	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
PM10	70.935	80.56667	91.69	63.555	77.67667	-	78.18333	68.8
PM2.5								
SO2	7.93	7.745	10.0325	6.4325	9.263333	-	8.878333	5.466667
NOx	9.8175	8.855	12.13	8.6625	13.51333	-	13.85167	18.15
AQI	71	81	92	64	78		78	69
Air Quality	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Satisfactory		Satisfactory	Satisfactory

1st Week of May 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	99.9	83.08333	102.07	53.55	38.07333	-	-	76
SO2	12.3225	11.6925	13.7425	9.0175	3.2725	-	-	5.719444
NOx	16.07	15.83	17.8	11.3275	8.1575	-	-	21.48889
AQI	100	83	101	54	38	-	-	76
Air Quality	Satisfactory	Satisfactory	Moderate	Satisfactory	Good			Satisfactory

2nd Week of May 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	114.6333	84.09	105.4333	84.11	45.695	100.2733	107.4	81.11667
SO2	14.7375	10.6875	13.965	10.8675	3.18375	9.455	9.793333	6.1
NOx	18.245	14.695	18.6675	13.6075	8.3725	13.675	15.152	23.675
AQI	110	84	104	84	46	100	105	81
Air Quality	Moderate	Satisfactory	Moderate	Satisfactory	Good	Satisfactory	Moderate	Satisfactory

3rd Week of May 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	161.26	109.7367	124.28	99.69	53.9	108.91	IF	108.7667
SO2	20.8925	15.6825	16.1125	11.6275	3.785	10.66833	IF	5.95
NOx	25.6925	21.0925	21.235	14.9075	9.04625	14.90833	IF	25.66667
AQI	141	106	116	100	54	106	-	106
Air Quality	Moderate	Moderate	Moderate	Moderate	Satisfactory	Moderate	Monitoring could not done due to instrument failure	Moderate

4th Week of May 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	152.5667	126.59	110.1933	128.75	59.35667	103.3183	103.3867	110.2
SO2	22.68	18.135	17.84	14.2175	4.0625	10.58833	10.02167	5.941667
NOx	26.715	22.3975	21.9675	18.3875	9.1325	14.97917	15.05333	25.13333
AQI	135	118	107	119	59	102	102	107
Air Quality	Moderate	Moderate	Moderate	Moderate	Satisfactory	Moderate	Moderate	Moderate

1st Week of June 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	118.6258	87.87667	102.07	118.325	76.41333	113.165	111.815	103.2
SO2	18.7375	14.4925	16.8975	17.17	3.86	11.21167	11.00667	6.158333
NOx	25.21625	21.7375	23.6575	23.5775	10.045	14.65	14.53083	25.50833
AQI	112	88	101	112	76	109	108	102
Air Quality	Moderate	Satisfactory	Moderate	Moderate	Satisfactory	Moderate	Moderate	Moderate

2nd Week of June 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	125.2333	94.86667	117.5967	79.445	81.45667	114.9867	120.5517	101.5444
SO2	20.42738	16.425	18.67	14.1825	4.005	11.24667	10.96083	5.944444
NOx	25.445	22.145	22.2	21.7425	10.74125	14.56083	14.59083	25.99444
AQI	117	95	112	79	81	110	114	101
Air Quality	Moderate	Satisfactory	Moderate	Satisfactory	Satisfactory	Moderate	Moderate	Moderate

3rd Week of June 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	124.4967	100.2867	119.665	89.19	76.57444	113.04	116.2033	113.45
SO2	22.07625	18.62875	20.172	16.2675	4.178333	11.19333	10.94833	6.85
NOx	25.4175	23.16625	25.14875	22.535	10.91583	14.6	14.56333	27.4
AQI	116	100	113	89	77	109	111	109
Air Quality	Moderate	Satisfactory	Moderate	Satisfactory	Satisfactory	Moderate	Moderate	Moderate

4th Week of June 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	111.415	97.61667	108.1883	88.545	79.135	117.3217	118.6517	109.4833
SO2	22.82875	17.945	21.59875	15.1775	IF	11.18333	10.94667	6.15
NOx	23.93125	21.8125	23.76375	21.2175	IF	14.525	14.5525	24.55
AQI	108	98	105	89	-	112	112	106
Air Quality	Moderate	Satisfactory	Moderate	Satisfactory		Moderate	Moderate	Moderate

1st Week of July 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	RF	96.57	114.7867	95.14	82.55	153.7	157.53	123.70
SO2	RF	20.09	20.67	16.83	4.68	11.51	11.67	5.05
NOx	RF	22.82	25.655	22.12	11.59	14.63	15	20.93
AQI		97	110	95	83	136	138	116
Air Quality		Satisfactory	Moderate	Satisfactory	Satisfactory	Moderate	Moderate	Moderate

2nd Week of July 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	93.13	90.72	93.81667	101.83	77.10	153.7	165.42	139.35
SO2	20.33	17.54	19.52	17.65	4.74	11.56	11.65	6.12
NOx	25.5	22.93	24.7075	23.09	11.74	14.68	15.02	24.43
AQI	93	91	94	101	77	136	144	126
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate	Moderate

3rd Week of July 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	74.90	76.02	78.99	103.53	78.82	149.22	160.38	138.74
SO2	20.13	19.33	20.75	17.22	4.77	11.92	11.61	5.67
NOx	24.67	22.7	23.8025	22.17	11.78	15.04	15.05	24.41
AQI	75	76	79	102	79	133	140	126
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate	Moderate

4th Week of July 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	76.05	79.68	87.72667	104.52	80.80	926.8	169.39	142.8
SO2	22.35	20.02	21.52	17.35	4.6	11.71	11.63	6.36
NOx	24.76	22.3	24.1375	23.10	12.03	14.82	14.97	26.77
AQI	76	80	88	103	81	93	146	129
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Satisfactory	Moderate	Moderate

1st Week of Aug 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter							
PM10	91.70	74.40	92.88	110.65	77.41	122.62	109.13
SO2	22.14	23.17	21.74	19.35	5.155	11.62	6.66
NOx	27.19	24.03	26.67	25.19	11.93	15.26	25.80
AQI	92	74	93	107	77	115	106
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate

2nd Week of Aug 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter							
PM10	91.16	78.54	94.81	110.26	78.91	102.92	107.3
SO2	22.8	19.61	22.24	18.53	5.385	11.84	6.36
NOx	27.66	22.59	26.04	23.63	11.90	15.34	24.84
AQI	91	79	95	107	79	102	105
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate

3rd Week of Aug 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	SIDCUL, Haridwar	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter						
PM10	85.82	85.05	99.40	81.23	122.17	114.56
SO2	21.53	21.05	22.58	5.46	11.58	7
NOx	26.71	22.96	26.55	12.06	15.27	26.74
AQI	86	85	99	81	115	110
Air Quality	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Moderate	Moderate

4th Week of Aug 2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter							
PM10	81.71	83.27	79.28	104.08	78.49	114.83	111.96
SO2	22.19	20.03	21.75	18.63	5.52	11.57	6.84
NOx	25.67	22.13	25.59	23.72	12.34	15.28	26.43
AQI	82	83	79	103	78	110	108
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate

1st Week of Sep2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	86.56	84.23	91.46	111.75	89.50	119.65	126.99	114.35
SO2	22.63	21.36	22.57	19.39	6.55	11.77	11.72	7.06
NOx	27.05	25.85	27.23	25.85	12.65	14.9	15.06	26.90
AQI	87	84	91	108	90	113	118	110
Air Quality	Satisfactory	Satisfactory	Satisfactory	Moderate	Satisfactory	Moderate	Moderate	Moderate

2nd Week of Sep2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	91.18	85.11	104.22	113.36	89.2	121.04	126.42	111.88
SO2	21.83	22.43	23.11	21.96	6.51	11.81	11.678	6.9
NOx	26.91	25.12	27.20	25.42	12.57	14.912	15.08	25.64
AQI	91	85	103	109	89	114	118	108
Air Quality	Satisfactory	Satisfactory	Moderate	Moderate	Satisfactory	Moderate	Moderate	Moderate

3rd Week of Sep2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	109.41	93.88	104.16	111.07	86.16	122.40	126.29	114.21
SO2	23.005	21.87	23.61	22.72	6.57	11.83	11.675	7.36
NOx	28.34	25.81	27.38	26.97	12.64	14.911	15.15	29
AQI	106	94	103	107	86	115	118	109
Air Quality	Moderate	Satisfactory	Moderate	Moderate	Satisfactory	Moderate	Moderate	Moderate

4th Week of Sep2020

Average value of Air Pollutants (Weekly Average) at NAAQM Station

Station	Clock Tower, Dehradun	Raipur Dehradun	ISBT, Dehradun	Nagar Palika Parishad, Rishikesh	SIDCUL, Haridwar	Govt. Hospital, Kashipur	Govt. Hospital, Rudrapur	Govt. Hospital, Haldwani
Parameter								
PM10	114.88	111.70	121.011	118.53	85.81	118.36	121.51	115.71
SO2	22.60	21.64	23.15	21.34	6.52	11.81	11.68	7.80
NOx	27.84	25.45	28.02	25.33	12.88	14.916	15.157	28.10
AQI	110	107	114	112	86	112	114	110
Air Quality	Moderate	Moderate	Moderate	Moderate	Satisfactory	Moderate	Moderate	Moderate

Air Quality Index (AQI) indicator

Good (0-50)	Minimal Impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderate (101-200)	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor (201-300)	Breathing discomfort to most people on prolonged exposure
Very Poor (301-400)	Respiratory illness on prolonged exposure
Severe (>401)	Affects healthy people and seriously impacts those with existing diseases